

BY SIGNATURE®





# SKANDI

NATIVE PATTERNS FOR A MODERN WORLD

**SKANDI** 300

## MALMO

A REFLECTION OF OUR OUTSIDE WORLD


MALMO 700 ULTIMATE SUMMER OAK 24219

# OSLO

THE HARMONY OF CO-ORDINATING TEXTURES

SKANDI 400 MALMO 400





### SKANDI

SKANDI TROSA SKANDI TOVA

200

**SKANDI** TORI

300

SKANDI TALE

700

600

SKANDI NATTI SKANDI WINIE SKANDI FLEN

900

800

SKANDI ODENSE SKANDI IDDA

500

MALMO



#### THINKING OUTSIDE THE PLANK?

OSLO CAN BE ORDERED IN SHAPES™ BY SIGNATURE MODULAR SHAPES:

- RIGHTANGLE
- PENTAGON
- RECTANGLE
- HEXAGON
- TRAPEZOID
- TRIANGLE
- SQUARE
- \* 100 M<sup>2</sup> MINIMUM ORDER APPLIES

product construction yarn/fibre pile weight pile height gauge plank size total thickness carton size total weight dimensional stability backing electrostatic propensity

Comfi Bak® option\* customise Shapes\* traffic warranty

co-ordinates with

fire rating ISO 9239.1

recommended adhesive installation method

GreenStar

availability

malmo

high loop, low cut solution dyed nylon

850g/m<sup>2</sup> 4mm 1/10"

250mm x 1000mm

7.5mm 5m<sup>2</sup> 5.2kg/m<sup>2</sup> < 0.15%

Thermo Bak™

<3.0kv

>4.5kw/m<sup>2</sup> critical radiant flux

RLA Polymers GS300 ashlar, herringbone all Signature planks

100m<sup>2</sup> min 100m<sup>2</sup> min

extra heavy duty commercial

15 year limited suitable all areas GreenTag® Certified

in stock

skandi

high loop, low cut solution dyed nylon

850g/m<sup>2</sup> 4mm

1/10"

250mm x 1000mm

7.5mm 5m<sup>2</sup> 5.2kg/m<sup>2</sup> < 0.15%

Thermo Bak™

<3.0kv

>4.5kw/m<sup>2</sup> critical radiant flux RLA Polymers GS300

ashlar, herringbone all Signature planks

100m<sup>2</sup> min 100m<sup>2</sup> min

extra heavy duty commercial 15 year limited


suitable all areas GreenTag® Certified

in stock











**au** 1800 150 554 nz 0800 150 555 signaturefloors.com.au

See detailed installation guidelines & warranty info online.