



STATIC

Signature




Create impact with neutrals or accents.

The Static carpet tile range embodies a blend of style and functionality, catering to diverse needs.

The gentle, textured pattern allows you to create calm and movement in any space. Whether designing a professional, sophisticated office or an engaging educational environment, Static provides the perfect balance of design, durability, and versatility.

Neutrals that ground, accents that pop.

Contemporary neutrals and bright
yet softly muted accent shades,
Static offers a versatile and elegant
solution for a wide range of
environments.



STATIC DYNAMO 191-185CB, REVERB 097-099CB





STATIC APEX 999-003CB, ENCODE 114-095CB



STATIC VOLTAGE 075-007CB, OAKWOOD CLOVE 13

Quietly sustainable with Comfi Bak®

- Made from 100% PET
- Each m² contains 48 recycled PET bottles
- Reduces 30% of airborne sound and 32db of impact sound
- Stocked in Comfi Bak® for improved acoustics, insulation and comfort underfoot



INSTOCK



Define spaces with style and purpose

Blend Static with Oakwood engineered timber to craft a refined, textured look. The contemporary neutrals in Static balance beautifully with Oakwood's natural tones, introducing subtle wayfinding cues through a seamless mix of textures and visuals.

With Signature, access a versatile mix of in-stock and custom products designed to complement or contrast, giving you the flexibility to bring any vision to life.



STATIC SURGE 999-098CB, **OAKWOOD** MUSK 03





STATIC VORTEX 196-007CB, GENESIS 143-010CB



STATIC GENESIS 143-010CB

Workspaces that work smarter

The Static range is designed to bring style and functionality to many spaces including office spaces. Contemporary neutrals guide movement, while vibrant accents add personality, and define work areas. Built for busy environments, Static offers exceptional durability and noise-reducing properties, perfect for zoning and way finding creating quieter, more productive spaces.





STATIC APEX 999-003CB





STATIC REVERB 097-099CB

Making an impact while reducing our impact



CARBON NEUTRAL

Signature Floors Australia is certified carbon neutral by Climate Active, the only Australian Government backed program that supports national climate policy and voluntary climate action by Australian businesses. We are proud to say that we have made choices and changes in the way we do business to ensure our carbon emissions are equal to net zero.



CIRCUL8

Signature Floors' local carpet tile recycling initiative here in Australia reaffirms our ongoing commitment to closing the loop and creating a circular economy.




CERTIFICATIONS

Static is GreenTag® GreenRate Level A certified for Green Star Projects and also contributes to points in the WELL Building Standard and Living Building Challenge. We promote material transparency with Declare Labels and EPD documentation.



Define zones with ease.



Use colours and shapes to
create activity zones.



STATIC PULSE 113-134CB, NUMERICAL 014-017CB

Engage learners.

Bright yet softly muted accents
bring energy to learning environments.



Reduce noise.



Superior acoustic properties keep classrooms and libraries quieter.




STATIC INFINITY 099-007CB, GLITCH 048-114CB



STATIC CAPTURE 067-012CB, BYTE 012-071CB, RELAY 007-999CB

Built to last.



Durable construction withstands the demands of high-traffic areas.

STATIC



RESOLUTION
082-042CB



HERTZ
175-181CB



EMBER
054-191CB



FLUX
172-111CB




MATRIX
085-136CB




DYNAMO
191-185CB




WAVEFORM
197-999CB




ZEPHYR
202-999CB



SURGE
999-098CB



RIPPLE
100-098CB



FRAGMENT
098-000CB



NUMERICAL
014-017CB




CIPHER
002-124CB



GLITCH
048-114CB



ENCODE
114-095CB



GENESIS
143-010CB



SHUTTER
046-072CB



SHAKE
021-031CB



VORTEX
196-007CB



INFINITY
099-007CB



REVERB
097-099CB



PARTICLE
010-007CB



VOLTAGE
075-007CB



BALANCE
099-075CB



BYTE
012-071CB



CAPTURE
067-012CB



DATA
019-040CB



PULSE
113-134CB



COMPUTE
017-099CB



INGOT
017-000CB



APEX
999-003CB



RELAY
007-999CB



SPECTRUM
197-003CB

SPECIFICATIONS

Product	Static
Product Category	Carpet Tile
Construction	Multi-level Loop
Yarn/Fibre	Solution Dyed Nylon
Pile Weight	646g/m² (19oz)
Pile Height	4mm
Gauge	1/10
Tile Size	500mm x 500mm
Total Thickness	9.5mm
Total Weight	4.2kg/m²
Carton Size	5m²

PERFORMANCE

Dimensional Stability	<0.15%
Backing	Comfi Bak®
Electrostatic Propensity	<3.0kv
Recommended Adhesive	RLA Polymers GS300
ACCS Rating	Commercial Extra Heavy Duty
Warranty	15 Year
Fire Rating ISO 9239.1	4.8kw/m² Critical Radiant Flux Suitable all areas
Stain/Soil	Ultra Gard

CUSTOM OPTIONS

Comfi Bak®	In stock
Flexi Bak®	50m² minimum
Thermo Bak®	50m² minimum
Shapes by Signature®	50m² minimum

Our manufacturing process ensures no two tiles are the same.
Please note that there may be batch variations from different dye lots.



Go bespoke with 10 Shapes by Signature® and design your way for a minimum order quantity of 50m²

Pentagon 24.17 x 35.38	Hexagon 25 x 43.3	Trapezoid 21.65 x 50	Right Angle 50 x 50	Triangle 50 x 43.3	Square 50 x 50	Rectangle 25 x 50	Plank 25 x 100	Large Square 100 x 100	Wide Plank 50 x 100



Thermo Bak® is recommended for Shapes by Signature®.

Some of the images featured in this brochure were created using AI tools.
Each AI-generated image was developed under careful human instruction to align with our creative vision and was further refined through human editing to ensure accuracy and quality. While these images represent our design concepts, they may not perfectly reflect real-life installations. For specific product details or inquiries, please contact us directly.

STATIC INFINITY 099-007
INFINITY PLANKS **WOOD 4.5** SUNSET OAK WOO106407ST45



au 1800 150 554
nz 0800 150 555
signaturefloors.com.au
signaturefloors.co.nz



Terms & conditions: Specifications are subject to manufacturing tolerances and may be changed without prior notice. Product may vary in colour from sample and between production lots. All product purchases are subject to Signature Floorcoverings Standard Terms & Conditions of Sale. Please refer to our Technical Information Manual, Maintenance Guide & Warranty Guide for further clarification. © Signature Floors 12/2024