




sustainable, fashionable flooring designed for all interiors

floorconcepts

FABRIC MARBLE



FABRIC marble carrara 1271



FABRIC marble fior 1272



FABRIC marble emperador 1275



FABRIC marble aliveri 1270



FABRIC marble triana 1274



FABRIC marble portoro 1273

FABRIC DESERT





FABRIC desert farafra 1265



FABRIC desert antarctic 1264



FABRIC desert namib 1269



FABRIC desert hoyos 1267



FABRIC desert gobi 1266



FABRIC desert karakum 1268

fabric marble & fabric desert





product

tile size total thickness carton size total weight slip rating fire rating ISO 9239.1 scratch resistance dimensional stability backing acoustic insulation

wovn™ vinyls, fabric marble, fabric desert 500mm x 500mm 5.0mm 4sqm 3.0kg/m² P1/R9 7.6 kw/m² critical radiant flux class T contains fibre glass layer

underfloor heating recommended adhesive installation method co-ordinates with traffic warranty fire environmental sustainability availability

suitable PS with V1 trowel ashlar, brick, quarter turn all wovn vinyl tiles & Themo Bak™ carpet tiles class 33 heavy duty commercial 15 year commercial suitable all areas sustainable manufacturing 10% recycled content indent

Traffic







felt

19dB













cover image: marble portoro 1273

above: desert farafra 1265



au 03 9401 0888 nz 0800 150 555

signaturefloors.com.au signaturefloors.co.nz